SAFETY DATA SHEET

	1. Product and Compa	any Identification
Product identifier	POLYPLUS 25	
Other means of identification	Not available	
Recommended use	Floor finish	
Recommended restrictions	None known.	
Manufacturer	Unica Canada inc. 90, J.A. Bombardier Boucherville, (Quebec) Phone: (450) 655-8168 Emergency Phone (CANUTEC 2 4	4 H, Emergency only) : (613) 996-6666
	2. Hazards Ide	ntification
GHS classification in accordance	ce with : (CAN) WHMIS 2015	
Physical hazards	Not classified	
Health hazards	Eye damage/irritation	Category 2B
	Skin corrosion/irritation	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word Hazard statement	Warning Causes skin irritation Causes eye irritation	
Precautionary statement		
Prevention	Wash hands thoroughly after han protection/face protection.	dling. Wear protective gloves/protective clothing/eye

3. Composition/Information on Ingredients

Mixture Chemical name	Common name and synonyms	CAS number	%
Tributoxyethylphosphate		78-51-3	1 - 5
Diethylene glycol monoethyl ether		111-90-0	1 - 5

4. First Aid Measures		
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/.	
Skin contact	If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing before reuse. Specific treatment (see product label). Immediately call a poison center/doctor/.	
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.	
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor/.	
Most important symptoms/effects, acute and	Causes eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
delayed Indication of immediate medical attention and special	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.	
treatment needed General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.	

5. Fire Fighting Me	asures
---------------------	--------

Suitable extinguishing media	Treat for surrounding material.
Unsuitable extinguishing media	Use appropriate extinguisher, as surrounding material.
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.
Special protective equipment and precautions for	Firefighters should wear full protective clothing including self contained breathing apparatus.
firefighters Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
Hazardous combustion products	May include and are not limited to: Carbon dioxide
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.
	6. Accidental Release Measures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Should not be released into the environment.
	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewers, basements or confined areas.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.
	7. Handling and Storage
Precautions for safe handling	Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Avoid breathing vapors or mists of this product. DO NOT get in eyes, on skin or clothing.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Components	Value		
Tributoxyethylphosphate	Not available		
Diethylene glycol monoethyl	ether TWA : 25 ppm (8 h)		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ndividual protection measure	s, such as personal protective equipment		
Eye/face protection	Chemical splash goggles.		
Skin protection			
Hand protection	Chemical resistants gloves. Confirm with a reputable supplier first.		
Other Respiratory protection	Wear appropriate chemical resistant clothing. As required by employer code. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Not applicable.		
Thermal hazards General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.		

9. Physical and	I Chemical	Properties
-----------------	------------	-------------------

Appearance	Liquid
Physical state	Liquid.
Form	Liquid
Color	White
Odor	Not available
Odor threshold	Not available.
рН	7.5 – 8.0
Melting point/freezing point	O° O
Initial boiling point and boiling range	100 °C
Pour point	Not available.
Partition coefficient (n-octanol/water)	Not available
Flash point	> 95 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available
Flammability limit - upper (%)	Not available
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available
Vapor density	Not available
Relative density	1.02 – 1.04
Solubility(ies)	Complete
Auto-ignition temperature	Not available
Decomposition temperature	Not available.
Viscosity	Not available.
	10. Stability and Reactivity
Reactivity Possibility of hazardous reactions	Strong bases and strong acids. This product may react with oxidizing agents. Hazardous polymerization does not occur.

Chemical stabilityStable under recommended storage conditions.Conditions to avoidReacts with strong bases and strong acids. This product may react with oxidizingIncompatible materialsagents.Hazardous decomposition
productsOxidizing agents. BasesMay include and are not limited to: Carbon oxide

11. Toxicological Information

Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposureIngestionCauses digestive tract irritation.InhalationProlonged inhalation may be harmful.Skin contactCauses skin irritation.Eye contactCauses eye irritation.Symptoms related to the
physical, chemical andNothing

toxicological characteristics Information on toxicological effects

Acute toxicity

Routes of exposure

Components Tributoxyethylphosphate		Species	Test Results
Acute			
DermalLD50		Rabbit	5000 mg/kg
Oral LD50		Rat	3000 mg/kg
Diethylene glycol monoethyl eth	her		
Oral LD50		Rat	7500 mg/kg
Ofai ED50		Nai	7500 mg/kg
Skin corrosion/irritation	Could skin irritation		
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye	Causes eye irritation		
irritation			
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		

Respiratory or skin sensitization

Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	None
Reproductive toxicity	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	Not available.
Name of Toxicologically	Not available.
Synergistic Products	

12. Ecological Information

Ecotoxicity

Components	Species	Test Results
Tributoxyethylphosphate	Fish LC50 (96 hours)	11.2 mg/l
Diethylene glycol monoethyl ether	Fish LC50 (96 hours)	> 10000 mg/l
	Daphnia magna (96 hours)	3340 mg/l

Persistence and degradability Bioaccumulative potential	No data available No data available
Mobility in soil	No data available
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Consideration

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

	14. Transport Information
General	Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product i correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.
U.S. Department of Transport	tation (DOT)
Basic shipping requiremen UN number	
Proper shipping name Hazard class Packing group	Not regulated
Transportation of Dangerous Basic shipping requiremen	
UN number Proper shipping name Hazard class Packing group	Not regulated
	15. Regulatory Information
Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.
WHMIS status	Controlled
WHMIS classification WHMIS labeling	Class D2B - Materials Causing Other Toxic Effects
\bigcirc	

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH

FLAMMABILITY

PERSONAL

PROTECTION

PHYSICAL HAZARD

2

0

0

Х

1

Minimai U	
Disclaimer	The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.
Issue date Effective date Further information	April 24, 2017
	April 24, 2017
	Version 1.0
	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Prepared by	Unica Canada inc. Phone Number : (450) 655-8168
Other information	This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

0

0

2